

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

5600850101

Status:

Active

Overview:

DuraClik Connector System

Description:

DuraClik Crimp Terminal, Female, 22-26 AWG, Reel

Documents:

Drawing (PDF)

Product Specification PS-502351-001-001 (PDF)

Application Specification AS-560085-001-JP-001 (PDF)

Packaging Specification PK-560085-001-001 (PDF)

RoHS Certificate of Compliance (PDF)

General

Product Family

Series

Application

Crimp Quality Equipment

Overview

Product Name

UPC

Crimp Terminals

560085

Automotive, Power, Signal, Wire-to-Board

Yes

DuraClik Connector System

DuraClik

887191151892

Physical

Gender

Material - Metal

Material - Plating Mating

Material - Plating Termination

Net Weight

Packaging Type

Termination Interface: Style

Wire Insulation Diameter

Wire Size AWG

Wire Size mm²

Female

Phosphor Bronze

Tin

Tin

0.048/g

Reel

Crimp or Compression

1.40mm

22, 24, 26

0.34

Electrical

Voltage - Maximum

125V

Solder Process Data

Lead-freeProcess Capability

N/A

Material Info

Reference - Drawing Numbers

Application Specification

Application Tooling Documents

Packaging Specification

Product Specification

Sales Drawing

AS-560085-001-JP-001

571753710ATS-000, 571753710ATS-J-000

PK-560085-001-001

PS-502351-001-001

SD-560085-001-001



Series image - Reference only

EU ELV

Compliant

EU RoHS

Compliant

China RoHS

Compliant

REACH SVHC

Not Contained Per - D(2021)4569-DC (8 July 2021)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

Green Image

ELV

Compliant

RoHS Phthalates

Not Contained

Search Parts in this Series

560085 Series

Use With

502351 DuraClik Wire-to-Board Receptacle Housing

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global Description	Product #
Extraction Tool for Micro-Fit Terminals	11030043
FineAdjust Applicator for 2.0 Wire-to-Board Crimp Receptacle Terminal and SMEC Crimp Receptacle Terminals, 22-26 AWG and AVSS 0.3 Wires	2037021900

PremiumGrade Hand638235100
Crimp Tool for Micro-
Latch, DuraClik, and
Servo Motor Encoder
Female Terminals,
22-26 AWG

This document was generated on 12/23/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

[560085-0101](#) [560085-0101 \(Mouser Reel\)](#) [560085-0101 \(Cut Strip\)](#)