

## Han hinged frame plus, for 4 modules a-d



Part number	09 14 016 0371
Specification	Han hinged frame plus, for 4 modules a- d
HARTING eCatalogue	https://b2b.harting.com/09140160371

Image is for illustration purposes only. Please refer to product description.

## Identification

Category	Accessories
Series	Han-Modular <sup>®</sup>
Type of accessory	Hinged frame plus
Description of the accessory	for 4 modules a d
Features	Conductor cross-section PE (power side) 4 10 mm <sup>2</sup> Conductor cross-section PE (signal side) 1 2.5 mm <sup>2</sup>
Version	
Size	16 B
Technical characteristics	
Limiting temperature	-40 +125 °C
Mating cycles	≥500
Material properties	
Material	Zinc die-cast Stainless steel
RoHS	compliant
ELV status	compliant
China RoHS	e
REACH Annex XVII substances	No
REACH ANNEX XIV substances	No
REACH SVHC substances	No

Page 1 / 2 | Creation date 2021-11-20 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electric Stiftung & Co. KG | Wilhelm-Harting-Straße 1 | 32339 Espelkamp | Germany Phone +49 5772 47-97100 | electric@HARTING.com | www.HARTING.com



Material properties	
California Proposition 65 substances	No
Specifications and approvals	
Specifications	EN 60664-1 IEC 61984
Approvals	DNV GL
UL / CSA	UL 1977 ECBT2.E235076
Commercial data	
Packaging size	1
Net weight	68.7 g
Country of origin	Germany
European customs tariff number	85389099
eCl@ss	27440206 Module carrier frame for industrial connectors

## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

HARTING: 09140160371